



Nominal Pipe Size NPS	O.D. of Flange O	Thickness ⁽¹⁾		Length Through Hub ⁽¹⁾ Y	Hub Dia. at Base X	Hub Dia. Welding End A	Diameter of Raised Face R	Drilling			Diameter of Bolts	Radius of Fillet r	Approximate Weight each/lbs.	
		W/N t _f (min)	Blind t _f (min)					Diameter of Bolt Circle W	Number of Bolt Holes	Diameter of Bolt Holes			W/N	Blind
26	40.25	5.31	6.06	10.19	29.25	26.00	30.00	35.50	20	2 5/8	2 1/2	0.44	1184	2037
28	43.50	5.81	6.56	10.88	31.38	28.00	32.25	38.25	20	2 7/8	2 3/4	0.50	1485	2563
30	46.50	6.12	6.93	11.38	33.50	30.00	34.50	40.75	20	3 1/8	3	0.50	1757	3082
32	48.75	6.31	7.31	11.94	35.75	32.00	36.50	43.00	20	3 1/8	3	0.50	1984	3602
34	51.75	6.75	7.68	12.56	37.88	34.00	39.00	45.50	20	3 3/8	3 1/4	0.56	2346	4245
36	53.00	6.81	7.94	12.81	40.00	36.00	40.50	47.25	24	3 1/8	3	0.56	2385	4614
38
40
42
44
Sizes NPS 38 through 48 are identical to Series A flanges in Class 900														
46
48
50
52
54
56
58
60

All dimensions are given in inches

Notes:

(1) 1/4" RF NOT included in Flange Thickness (t_f) and Length Through Hub (Y).

Trans Am

Piping Products Ltd.